



GR3/P - Lincat Silverlink 600 Propane Gas Counter-top Salamander Grill - W 600 mm - 5.0 kW

The Silverlink 600 Gas Salamander Grill boasts even heat distribution for maximum output, meaning that producing perfectly grilled meat, fish, and toast has never been as simple or stress-free.

- ✓ Powerful ceramic plaque burners for rapid heat up
- ✓ Cool touch handles for safety
- ✓ 6 shelf positions to give maximum flexibility for all catering operations
- ✓ Enamelled interior and hood for easy cleaning
- ✓ Chrome wire shelf to allow trays and food to be placed on for cooking
- ✓ Removable crumb tray, making it effortless to keep clean

Specifications

Summary

Brand	Lincat
Range	Silverlink 600
Power Type	Gas
Gas Type	Propane Gas
Unit Type	Counter-top
Available in UK Only	No
UK Warranty	2 Years Parts and Labour Warranty
Export Warranty	Contact your local dealer
GTIN	5056105104742

Power and Performance

BTU per Hour	17,060
Total Power kW	5.0
Cooking Area (Width x Depth) mm	410 x 230
Temperature Control	Mechanical

Key Specifications

Number of Shelves included	1
Number of Shelf Positions	4
Number of Heat Zones	1

Capacity

Product Output per Hour	42 x 115g [4oz] burgers [frozen], 24 x 225g [8oz]
--------------------------------	---

Weights and Dimensions

Unit Height (External) mm	408
Unit Width (External) mm	600
Unit Depth (External) mm	423
Shelf Dimensions Width mm	410
Shelf Dimensions Depth mm	225
Net Weight Kg	20.5

Supply Connections

Requires Installation	Yes
Gas Connection BSP	1/2"
Gas Consumption at full rate Propane m³ per Hour	0.36
Gas Pressure Propane mbar	37
Total heat input at full rate Propane kW	5
Total heat input at full rate Propane BTU per hour	17,100

Shipping

Packed Weight Kg	24.2
Packed Height cm	49.5
Packed Width cm	70
Packed Depth cm	55

Available Accessories

ABP03	BRANDING PLATE KIT
CH01	CATERFLEX HOSE 1/2" 1 METRE
CH02	CATERFLEX HOSE 1/2" 1.5 METRE



Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm